P. 21-25 in FOREST DISEASES OF MAJOR IMPORTANCE TO MEXICO,
THE U. S + CANADA: 68pp. NORTHERN IDAHO FOREST GENETICS CENTER
-21-PP. NORTHERN IDAHO FOREST GENETICS CENTER

Literature

NOFGE

Foster, A. A. 1959. Wursery diseases of southern pines. U.S. Dept. Agr. Forest Post Leaflet 32, 7 pp.

Aggers, P. V. 1955. Control of the fusiform rust of southern pines. Jour. For estry 53: 442-446.

below, P. C. 1954. Planting the southern pines. U.S. Dept. Agr. Agr. Monog. 18, 233 pp.

by W. V. Benedict

WHITE PINE BLISTER RUST

Pathogen

Cronartium ribicola Fischer.

Distribution

White pine blister rust is considered to be native to Asia from whence 1t spread to Europe about 1850 and to North America about 1900. It is now well established throughout most of the botanical range of the white pines in Canada and the United States -- from Quebec to British Columbia southward to North Carolina and California.

Hosts

The blister rust fungus lives alternately on white pines (five-needle pines) and plants in the genus Ribes (gooseberries and currents). It has been found on most white pines throughout the world. Some species are resistant but none is immune.

Pinaceae: (in order of relative susceptibility)

Native to North America

Pinus albicaulis Engelm. (whitebark pine)

Pinus lambertiana Dougl. (sugar pine)

Pinus monticola Dougl. (western white pine)
Pinus flexilis James (limber pine)

Pinus strobus L. (eastern white pine)

Pinus flexilis var. reflexa Engelm. (Mexican white pine)

Pinus aristata Engelm. (bristlecome pine)

Pinus balfouriana Grev. & Balf. (foxtail pine)

Prepared by W. V. Benedict, Forest Service, U.S. Department of Agriculture, Washington, D.C.

Pinus excelsa Wall. (Himalayan pine)
Pinus cembra L. (Swiss stone pine)
Pinus parviflora Sieb. & Zucc. (Japanese white pine)
Pinus koraiensis Sieb. & Zucc. (Korean pine)
Pinus pence Criseb. (Balkan pine)

Saxifragaceae

Ribes spp., about 200 species in Europe and North America. Among the more susceptible in North America are the following:

Ribes bracteosum Dougl. (stink current)
Ribes cynosbati L. (pasture gooseberry)
Ribes inerme Rydb. (white-stemmed gooseberry)
Ribes lacustre (Pers.) Poir (prickly current)
Ribes nevadense Kell. (Sierra current)
Ribes nigrum L. (European black current)
Ribes petiolare Dougl. (western black current)
Ribes prostratum L'Her. (skunk current)
Ribes reexil Cov. & Brit. (Sierra gooseberry)
Ribes sanguineum Pursh. (winter current)
Ribes viscosissimum Pursh. (sticky current)

Life history

Infection on pine takes place during late summer and fall through the needles. The hyphae grow down the conducting tissue to the stem. Here the hyphae develop largely in the inner bark. After the mycelium has developed in the bark for about two to three years, pycnia appear. In the spring and early summer, following production of pyonia, aecia appear over the same area of bark. The asciospores can retain their viability for several months under favorable conditions and for several weeks under unfavorable conditions. They are windborne, sometimes for several hundred miles, to infect ribes leaves. They cannot initiate infection on other pines. The germ tubes of the aecicspores enter the leaves through stomata on the undersurface. Within one to three weeks the uredia appear on the underside of the leaves. The uredia quickly rupture to release urediospores. Their function is to spread infection to nearby ribes. Seven generations or more of uredia may develop in a single summer. Following the uredia, either in the same or new lesions, telia develop usually in late summer or early fall. They appear as slender brown bristles on the underside of the leaf. Each telium is an aggregation of vertical rows of teliospores, which germinate in place by means of a five-celled promycelium, each of the four upper cells bearing one sporidium (basidiospore). The sporidia are then windborne to infect pine needles. They cannot infect ribes leaves. Sporidia are quite delicate, and the effective range at which pines can be infected is generally 900 feet. Aggregations of European black current, western black current, and perhaps other ribes species, may spread infection for as much as a mile or more under favorable conditions.

Description of damage

On pine, four to ten weeks after infection the disease first appears as small discolored spots on the needles. Twelve to eighteen months after infection, a yellowish to orange bark discoloration occurs at the base of the infected needle bundle. The discoloration spreads and the bark becomes swollen as the fungus grows. In late summer, twenty-two to twenty-four months after infection, the honey-colored pycnial drops appear. The next spring white blisters containing the orange-colored acciospores push through the outer bark in the same places where the pycnial drops appeared the previous summer. The pycnial-accial sequence is repeated each year as the perennial fungus advances through the bark.

After the aeciospores have been shed, the bark in the area of the blister darkens and becomes rough in texture. Continued growth of the fungus both up and down the branch or trunk produces a spindle-shaped canker. As the fungus invades living tissues, it kills them. Eventually the affected branch or trunk is girdled and dies. On branches killed, the needles turn a reddish copper color. They remain attached throughout the summer in which they die and often the following season.

On ribes, the first symptoms are the appearance of uredia on the underside of the leaves in the spring as small yellowish orange-colored dots. As the urediospores are released during the summer, the rust intensifies; more leaf area is covered with larger patches of uredia and more leaves on the same and other ribes plants are infected. The telia, appearing in late summer and early fall, are short, brownish, hairlike structures. On some ribes species, these telial columns are so numerous they form a brownish mat on the undersurface.

Present and potential impact

Blister rust kills white pines of all ages and sizes. The smaller the pines, the more quickly they are killed. In larger pines, trunk cankers girdle the trees, retard their growth, and so weaken the stems that the tops break at the point of girdling. Larger pines in the West are sometimes killed by multiple branch cankers. In unprotected areas the disease is preventing the natural restocking of white pines by killing the reproduction. In middle-aged stands blister rust infection, when not completely destructive, results in an undesirable thinning since crop trees are most subject to infection. In short, blister rust uncontrolled makes the growing of white pine an unprofitable venture except in the more southerly limits of its range in the United States where climatic factors seem to be impeding blister rust spread and development.

Blister rust is relatively harmless on Ribes bushes. Leaves are cast prematurely when infection is heavy and fruit production may be reduced.

Control measures and definition of problems requiring further research with reference to control

White pine blister rust is controlled by destroying ribes bushes growing in white pine stands and in a protective zone around them. This is possible because the fungus cannot spread from pine to pine but requires an alternation of host plants to complete its life cycle. By destroying the ribes, further spread and intensification is stopped.

Two distinct methods of destroying ribes are used: (1) digging or pulling the bushes by hand, or (2) spraying with herbicidal chemicals.

Silvicultural treatments, including judicious use of fire, is sometimes used to reduce and help maintain ribes populations at low levels in white pine stands.

Recently a major breakthrough in the control of white pine blister rust in western white pine stands has been accomplished. By applying certain antifungal antibiotics to the basal stem or foliage of infected western white pine trees, the blister rust fungus in them is killed. Two antibiotic fungicides have proven to be effective: (1) cycloheximide (trade name Acti-dione BR), and (2) Phytoactin. Cycloheximide has been used mainly for the basal stem treatment and Phytoactin for foliar treatments using aircraft to dispense it.

Still another approach to control, and of necessity a long-term one, is through selecting and breeding pines resistant to the rust. Substantial progresshas been made in this field during the past ten years.

In the United States there are now 23 million acres in the white pine blister rust control area. Included in this area are 10½ million acres of the most valuable white pine lands and 12½ million acres in surrounding protective zones. Control has been established (ribes populations reduced to sufficiently low levels to prevent serious damage) on 18 million acres of this acreage. Principal remaining control work is in the western part of the United States in western white and sugar pine stands.

Some important research needs are listed as follows:

- l. Development of effective formulations and application techniques of antibiotic fungicides on other white pine species.
- 2. Studies to determine the possible immunity to infection, and for how long, imparted by a single antibiotic application in the field and in the nursery.
- 3. Determination of how and why certain antibiotic fungicides kill blister rust infection in western white pine.
- 4. Development of silvicultural treatments which will reduce ribes populations and prevent their regeneration following cutting or other forest activity.

- 5. Continuation of studies to determine more precisely the role of climate in the spread and intensification of blister rust in the Sierra Nevadas of California and in the southern Appalachians in eastern United States.
- 6. Determination of the rust-resistance factor in certain individual white pines and the utilization of such information in accelerating the development of rust-resistant strains of white pine.

Literature

- Mielke, J. L. 1943. White pine blister rust in Western North America. Yale School of Forestry, Bulletin 52.
- Moss, V. D. 1961. Antibiotics for control of blister rust on western white pine. Forest Science 7: 380-395.
- Van Arsdel, C.P. 1961. The climatic distribution of blister rust on white pine in Wisconsin. Lake States Forest Experiment Station, Forest Service, Station Paper 87.

SOUTHERN CONE RUST

Pathogen

Cronartium strobilinum (Arth.) Hedge. and Hahn.

Distribution

Southeastern United States along coast of Gulf of Mexico from Texas to Florida; also central Florida to south-central Georgia. Cuba.

Hosts

- O, I on Pinus elliottii var. elliottii, P. elliottii var. densa, P. palustris.
- II, III on Quercus virginiana, Q. virginiana var. geminata, Q. virginiana var. minima, Q. pumila, Q. nigra.

Prepared by F. R. Matthews, U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station, Asheville, North Carolina.